


Automotive Diesel Engine (4 Stroke 1 Cylinder) Test Bed



Model AM 226S



Features

- ◆ Designed for comprehensive analysis of performance of different automobile engines.
- ◆ Digital Instruments for measurement of parameters like fuel consumption, air flow, temperature and RPM etc.
- ◆ Demonstration of performance of Diesel Engines at different throttle settings & Loads.
- ◆ Optional High Speed Data Acquisition system for performance monitoring.

Sci-tech Automotive 4 Stroke 1 Cylinder Diesel Engine Test Bed Model AM 226S is designed to facilitate testing of different automobile diesel engines. The test bed is complete with eddy current dynamometer and measuring instruments for measuring key engine parameters required for performance analysis of an engine. The test bed can be used for testing of diesel engines rated up to 3 kW. The test bed consists of a water cooled eddy current dynamometer or Rope-Brake dynamometer, fixed on a heavy-duty steel frame. The test bed is designed in such a way that the engine to be tested can be quickly coupled to the dynamometer with minimum effort. The test bed is equipped with dynamometer control panel with necessary safety instruments. The Engines can be used for performance tests for different loads and speeds under various throttle opening conditions. The eddy current dynamometer provides a variable load on the engine, allowing the characteristic power and torque curves to be reproduced in the laboratory. The system comes complete with extensive instrumentation, including rpm

Automotive Diesel Engine (4 Stroke 1 Cylinder) Test Bed



measurement, torque (from which power can be calculated), plus various temperatures, Fuel Consumption, Air Consumption.

Different optional accessories are available to integrate with the Engine Test Bed for comprehensive engine performance analysis. These include the exhaust gas calorimeter (For Heat Balance Sheet), advance Data Acquisition System & P-V Diagram module for computerized testing.

Specifications

- Eddy current or Rope-Brake Dynamometer: Capacity: 2 - 3kW, Water Cooled
Optional:
 - I. Rope brake dynamometer with loading unit
 - II. Electrically Dynamometer with loading unit
 - III. Hydraulic Dynamometer with Pump & Sump tank and loading unit
- Dynamometer Controller
- Engine: Air cooled; 318cc; 1800 RPM; 2.94KW Diesel Engine mounted on mobile frame
(Note: Additional Engines can be supplied on request.)
- Air Box with Orifice plate for Air flow measurement.
- Fuel Tank: for Diesel.
- Propeller shaft with protective covering.
- Measuring Instruments –
 - Engine RPM Sensor
 - Differential Pressure Transmitter for Air
 - Fuel Level Sensor
 - Thermocouples
 - Torque Sensor
- Accessories:
 - Battery for starting the engines

- Set of Anti Vibration Pads
- Auxiliary cooling unit for engine
- Exhaust Gas Calorimeter (Optional)
 - Cooling Water Flow Transmitter
 - Pipe In pipe type heat exchanger
 - Thermocouples for water & gas temperature.
- Data Acquisition System & Software (Optional)
 - Signal Converter
 - Data Acquisition Card, 16 Channel High speed DAQ Card with USB Port
 - Software: Labview based software for data acquisition, real time display, graphical representation, calculation & tabular results.
- P-V Diagram Module (Optional)
 - Engine cylinder pressure
 - Crank angle Encoder

Experiments

- ◆ Investigate Engine Performance at different Throttle Settings & Load conditions.
- ◆ Calculation of Mechanical Efficiency & Plot brake power versus mechanical efficiency.
- ◆ Measurement & Calculation of Volumetric efficiency.
- ◆ Measurement & Calculation of specific fuel consumption
- ◆ Measurement & Calculation of brake thermal efficiency
- ◆ Determining air / fuel ratios

Automotive Diesel Engine (4 Stroke 1 Cylinder) Test Bed



- ◆ Heat Balance Test (With Optional Exhaust Gas Calorimeter)
- ◆ Study of P- θ & P – V Diagram for Engine (With optional P-V Module & Data Acquisition System).

Scope of Delivery

- 1 engine, complete with all connections and supply lines
- One set of tools
- 1 manual

Specifications, Photos and design subject to changes without any notice